

المرفقات:

التاريخ:

الرقم:

قرار وزاري رقم (٧٧/٧٩) لسنة ١٤٤٤ هـ

وزير الصحة العامة والسكان:

- بعد الاطلاع على القانون رقم (١٩) لسنة ١٩٩١م بشأن الخدمة المدنية ولائحته التنفيذية.
- وعلى القرار الجمهوري رقم (٧٦) لسنة ٢٠٠٤م بشأن اللائحة التنظيمية لوزارة الصحة العامة والسكان.
- وبناءً على قرار رئيس المجلس السياسي الأعلى رقم (٥٦) لسنة ٢٠١٦م بشأن تشكيل حكومة الانقاذ الوطني وتسمية اعضائها.
- وعلى قرار للمجلس السياسي الأعلى رقم (٤٩) وتاريخ ٢٠١٨/٥/١٣م بشأن تعيين وزير الصحة العامة والسكان.
- وبناءً على عرض رئيس الهيئة العليا للأدوية برقم (٥٦٤٥٦) وتاريخ ١٤٤٤/١٢/٦ هـ.
- ولما تقتضيه المصلحة العامة ومصصلحة العمل.

قرار

مادة (١) :- تعتمد قائمة الأدوية الأساسية الوطنية - الإصدار السابع وفقاً للجداول التالية :-

The National List of Essential Medicines, Seventh Edition

القائمة الوطنية للأدوية الأساسية الإصدار السابع-١٤٤٤ هـ

Medicine Class and Generic Name	Dosage Form and Strength	Classification VEN System	Health Facility Level
1. ANAESTHETICS, PREOPERATIVE MEDICINES AND MEDICAL GASES			
1.1 General anesthetics and oxygen			
1.1.1 Inhalational medicines			
Halothane	Inhalation (in 250 mL bottle).	V	٣
Isoflurane	Inhalation (in 250 mL bottle).	V	٣
Nitrous oxide	Inhalation in cylinder.	V	٣
Oxygen	Inhalation (medical gas in cylinder).	V	٣
1.1.1.2 Powder medicines			
Thiopental sodium	Powder for injection: 1 g vial.	V	٣
1.1.2 Injectable medicines			
ketamine	Injection: 50 mg (as hydrochloride)/ mL in 10- mL vial.	V	٣
Propofol	Injection: 10 mg/ mL; 20 mg/ mL.	V	٣
1.2 Local anesthetics			
<input type="checkbox"/> bupivacaine	Injection: 0.25%; 0.5% (hydrochloride) in vial.	E	

الجمهورية اليمنية
وزارة الصحة العامة والسكان
الإدارة العامة للشؤون القانونية
مدير عام المكتب
التاريخ: ٢٠٢٢/٧/١٥





المرفقات:

التاريخ:

الرقم:

	Injection for spinal anaesthesia: 0.5% (hydrochloride) in 4- mL ampoule to be mixed with 7.5% glucose solution.	E	٣
<input type="checkbox"/> lidocaine	Injection: 1%; 2% (hydrochloride) in vial.	E	1
	Injection for spinal anaesthesia: 5% (hydrochloride) in 2- mL ampoule.	E	٣
	Topical forms: 2% to 4% (hydrochloride).	N	٣
lidocaine + epinephrine (adrenaline)	Dental cartridge: 2% (hydrochloride) + epinephrine 1:80000.	E	٢
	Injection: 1%; 2% (hydrochloride or sulfate) + epinephrine 1:200 000 in vial.	E	٣
Vasopressin	Injection: 20 units/mL in 1-mL ampoule	E	3
Labetalol	Injection: 5 mg/mL	N	3
ephedrine	Injection: 30 mg (hydrochloride)/ mL in 1- mL ampoule.	V	7
1.3 Preoperative medication and sedation for short-term procedures			
atropine	Injection: 1 mg (sulfate) in 1- mL ampoule.	V	٢
<input type="checkbox"/> midazolam	Injection: 1 mg/ mL.	V	٣
diazepam	Injection: 5 mg/mL (in 2- mL ampoule.	V	٣
morphine	Injection: 10 mg (sulfate or hydrochloride) in 1- mL ampoule.	E	٣
		E	3
2. MEDICINES FOR PAIN AND PALLIATIVE CARE			
2.1 Non-opioids and non-steroidal anti-inflammatory medicines (NSAIDs)			
Acetylsalicylic acid	Tablet: 300 mg to 500 mg.	E	١
Ibuprofen	Oral liquid: 200 mg/5 mL.	E	٢
	Tablet: 200 mg, 400 mg, 600 mg.	E	٢
Paracetamol	Oral liquid: 120 mg/5 mL in 60 mL bottle.	E	٢





المرقم: _____ التاريخ: _____ المرفقات: _____

	Suppository: 120 mg.	E	١
	Tablet: 500 mg.	E	١
	Injection: 1g/100 mL solution for infusion vials.	E	٣
Diclofenac sodium	Injection: 25mg/mL in 3 mL ampule.	N	1
2.2 Opioid analgesics			
fentanyl	Transdermal patch: 50 micrograms/hr; 75 micrograms/hr; 100 micrograms/hr.	V	٣
□ morphine	Granules (slow-release; to mix with water): 20 mg –200 mg (morphine sulfate).	E	٧
	Injection: 10 mg (morphine hydrochloride or morphine sulfate) in 1- mL ampoule.	E	٣
	Oral liquid: 10 mg (morphine hydrochloride or morphine sulfate)/5 mL.	E	٧
	Tablet (slow release): 10 mg–200mg (morphine hydrochloride or morphine sulfate).	E	٧
	Tablet (immediate release): 10 mg (morphine sulfate).	V	٣
methadone*	Tablet: 5 mg; 10 mg (as hydrochloride)	E	7
	Oral liquid: 5mg/ 5mL; 10mg/ 5mL (as hydrochloride)	E	7
	Concentrate for oral liquid: 5 mg/ mL; 10mg/ mL (as hydrochloride) *For the management of cancer pain.	E	7
2.3 Medicines for other common symptoms in palliative care			
Amitriptyline	Tablet: 25 mg; 50 mg.	E	
Diazepam	Injection: 5 mg/ mL.	E	
	Oral liquid: 2 mg/5 mL	E	
	Rectal solution: 2.5 mg; 5 mg; 10 mg.	E	



الرقم: التاريخ: المرفقات:

	Tablet: 5 mg; 10 mg.	E	3
Hyoscine butyl bromide	Injection: 20 mg/ mL.	E	3
Lactulose	Oral liquid: 3.1–3.7 g/5 mL.	E	2
loperamide	Solid oral dosage form: 2 mg.	E	2
3. ANTIALLERGICS AND MEDICINES USED IN ANAPHYLAXIS			
Chlorpheniramine	Injection: 10 mg / mL in 1- mL ampoule	E	2
	Solid oral dosage form: Eq 4 mg	E	1
Dexamethasone	Injection: 4 mg/ mL in 1- mL ampoule (as disodium phosphate salt).		
Epinephrine (adrenaline)	Injection: 1 mg (as hydrochloride or hydrogen tartrate) in 1- mL ampoule.	V	2
Hydrocortisone	Powder for injection: 100 mg (as sodium succinate) in vial.	V	2
□ loratadine	Oral liquid: 1 mg/ mL.	E	2
	Tablet: 10 mg.	E	2
□ Prednisolone	Oral liquid: 5 mg/ mL.	E	2
	Tablet: 5 mg; 20 mg.	E	2
4. ANTIDOTES AND OTHER SUBSTANCES USED IN POISONINGS			
4.1 Non-specific			
charcoal, activated	Powder.	V	1
4.2 Specific			
acetylcysteine	Injection: 200 mg/ mL in 10- mL ampoule.	V	2
DigiFab	Powder for injection 40mg	V	3
Intralipid	20% lipid emulsion 250ml for IV	V	3
atropine	Injection: 1 mg (sulfate) in 1- mL ampoule.	V	2
calcium gluconate	Injection: 100 mg/ mL in 10- mL ampoule.	V	6
methylthioninium chloride (methylene blue)	Injection: 10 mg/ mL in 10- mL ampoule.	V	3
naloxone	Injection: 400 micrograms (hydrochloride) in 1- mL ampoule.	V	3

الجمهورية اليمنية
وزارة الصحة العامة والسكان
الإدارة العامة لمكتب الوزير
صحة
مكتب
التاريخ: ٢٠٢٢/١٠/١٥

الرقم: التاريخ: المرفقات:

penicillamine	Solid oral dosage form: 250 mg.	V	3
Sodium nitrite	Injection: 30 mg/ mL in 10- mL ampoule.	V	3
Sodium thiosulfate	Injection: 250 mg/ mL in 50- mL ampoule.	V	6
Neostigmine Methylsulphate	Injection: 2.5mg/mL, amp. 10ml	V	3
Pralidoxime Mesilate	Injection: 200 mg/ mL in 5- mL ampoule	V	3
Protamine Sulphate	Injection: 10 mg/ mL in 5- mL ampoule	V	3
Phytomenadione(Vit. K1)	Injection: 10mg/mL , amp 1ml	V	3
Dantrolene	Injection: 20mg/vial , powder	V	3
Deferoxamine mesilate	Powder for injection: 500 mg (mesilate) in vial.	V	
flumazenil	Injection: 100 mcg/mL, amp. 5 mL	V	3
benzotropine	Tablet (scored): 1 mg.	V	3
sodium calcium edetate	Injection: 200 mg/ mL in 5- mL ampoule.	V	3

5. ANTICONVULSANTS/ANTIEPILEPTICS

carbamazepine	Oral liquid: 100 mg/5 mL.	V	3
	Tablet (chewable): 100 mg; 200 mg.	V	3
	Tablet (scored): 200 mg.	V	3
clonazepam	Oral liquid: 2.5 mg/1 mL.	E	3
	Tablet (scored): 0.5 mg 1 mg 2 mg.	V	3
Levetiracetam	Syrup 100mg/ml	E	3
	Tablet, Oral:250 mg,500 mg,1 g	E	3
Ethosuximide	Syrup:250mg/5ml	E	3
	Capsule:250 mg		
diazepam	Gel or rectal solution; 5 mg/ mL in 0.5 mL; 2- mL; 4- mL tubes.		

3 الجمهورية اليمنية
وزارة الصحة العامة والسكان
الإدارة العامة لشؤون الوزير
مستشار عام المكتب
التاريخ: ٢٠٢٢/٠٥/٢٥



المرفقات:

التاريخ:

الرقم:


lamotrigine	Tablet: 25 mg; 50 mg; 100 mg; 200 mg.	E	2
<input type="checkbox"/> lorazepam	Parenteral formulation: 2 mg/ mL in 1- mL ampoule; 4 mg/ mL in 1- mL ampoule.	E	2
magnesium sulfate	Injection: 0.5g/ mL in 2- mL ampoule (equivalent to 1 g in 2 mL; 50% weight/volume); 0.5g/ mL in 10- mL ampoule (equivalent to 5 g in 10 mL; 50% weight/volume).	E	2
phenobarbital	Oral liquid: 15 mg/5 mL.	V	2
	Tablet: 60 mg.	V	2
phenytoin	Injection: 50 mg/ mL in 5- mL vial (sodium salt).	V	2
	Oral liquid: 25 mg to 30 mg/5 mL.	V	2
	Solid oral dosage form: 25 mg; 50 mg; 100 mg (sodium salt).	V	2
valproic acid (sodium valproate)	Oral liquid: 200 mg/5 mL.	E	2
	Tablet (enteric-coated): 200 mg; 500 mg (sodium valproate).	E	2


6. ANTI-INFECTIVE MEDICINES

6.1 Anthelmintics

6.1.1 Intestinal anthelmintics

albendazole	Tablet (chewable): 400 mg, suspension 100 mg/5 mL in 20 mL & 30 mL bottle.	E	1
ivermectin	Tablet (scored): 3 mg.	E	1
mebendazole	Tablet (chewable): 100 mg & 500 mg; oral suspension 100 mg/5 mL in 30 mL bottle.	E	1
niclosamide	Tablet (chewable): 500 mg.	E	1
praziquantel	Tablet: 150 mg; 600 mg.		
pyrantel (as embonate)	Tablet (chewable): 250 mg.		
	Oral liquid: 50 mg/mL.		





المرفقات:

التاريخ:

الرقم:

6.1.2 Antifilarials			
ivermectin	Tablet (scored): 3 mg.	E	1
albendazole	Tablet (chewable): 400 mg, suspension 100 mg/5 mL in 20 mL & 30 mL bottle.	E	1
6.1.3 Antischistosomes and other antitrematode medicines			
triclabendazole	Tablet: 250 mg	V	1
praziquantel	Tablet: 500 mg & 600 mg.	V	1
6.2 Antibacterials			
6.2.1 Beta-lactam medicines			
amoxicillin	Oral liquid: 125 mg (as trihydrate)/5 mL; 250 mg (as trihydrate)/5 mL.	V	1
	Solid oral dosage form: 250 mg; 500 mg (as trihydrate).	V	1
	Powder for injection: 250 mg; 500 mg; 1 g (as sodium) in vial.	V	2
amoxicillin + clavulanic acid	Oral liquid: 125 mg amoxicillin + 31.25 mg clavulanic acid/5 mL AND 250 mg amoxicillin + 62.5 mg clavulanic acid/5 mL.	V	1
	Tablet: 500 mg (as trihydrate) + 125 mg (as potassium salt).	V	1
	Powder for injection: 500 mg (as sodium) + 100 mg (as potassium salt); 1000 mg (as sodium) + 200 mg (as potassium salt) in vial.	V	2
ampicillin	Powder for injection: 500 mg & 1000 mg in 5- mL vial.	E	2
benzathine benzylpenicillin	Powder for injection: 900 mg benzylpenicillin (= 1.2 million IU) in 5- mL vial; 1.44 g benzylpenicillin (= 2.4 million IU) in 5- mL vial.	V	3
benzylpenicillin	Powder for injection: 600 mg (= 1 million IU), 3 g (= 5 million IU) (sodium or potassium salt) in vial.		

الجمهورية اليمنية
وزارة الصحة العامة والسكان
الإدارة العامة لمكتب الوزير
3
قسم إدارة طبيقات الأوبئة
المخبر
مدير عام المكتب
التاريخ: 2022/05/05

المرفقات: التاريخ: الرقم:

6.1.2 Antifilarials			
ivermectin	Tablet (scored): 3 mg.	E	1
albendazole	Tablet (chewable): 400 mg, suspension 100 mg/5 mL in 20 mL & 30 mL bottle.	E	1
6.1.3 Antischistosomes and other antitrematode medicines			
triclabendazole	Tablet: 250 mg	V	1
praziquantel	Tablet: 500 mg & 600 mg.	V	1
6.2 Antibacterials			
6.2.1 Beta-lactam medicines			
amoxicillin	Oral liquid: 125 mg (as trihydrate)/5 mL; 250 mg (as trihydrate)/5 mL.	V	1
	Solid oral dosage form: 250 mg; 500 mg (as trihydrate).	V	1
	Powder for injection: 250 mg; 500 mg; 1 g (as sodium) in vial.	V	2
amoxicillin + clavulanic acid	Oral liquid: 125 mg amoxicillin + 31.25 mg clavulanic acid/5 mL AND 250 mg amoxicillin + 62.5 mg clavulanic acid/5 mL.	V	1
	Tablet: 500 mg (as trihydrate) + 125 mg (as potassium salt).	V	1
	Powder for injection: 500 mg (as sodium) + 100 mg (as potassium salt); 1000 mg (as sodium) + 200 mg (as potassium salt) in vial.	V	2
ampicillin	Powder for injection: 500 mg & 1000 mg in 5- mL vial.	E	2
benzathine benzylpenicillin	Powder for injection: 900 mg benzylpenicillin (= 1.2 million IU) in 5- mL vial; 1.44 g benzylpenicillin (= 2.4 million IU) in 5- mL vial.	V	3
benzylpenicillin	Powder for injection: 600 mg (= 1 million IU); 3 g (= 5 million IU) (sodium or potassium salt) in vial.		

الجمهورية اليمنية
وزارة الصحة العامة والسكان
3 الإدارة العامة لكتب الويد
قسم الأتصال
التاريخ: 15/10/2019
م.ب. 299 صنعاء





الرقم: التاريخ: المرفقات:

cefazolin	Powder for injection: 1 g (as sodium salt) in vial.	E	3
cefuroxime	Tablet (as axetil): 500 mg;	E	3
	Suspension (as axetil): 250 mg/5mL in 100 mL bottle.	E	3
	Injection: 1.5 g/50 mL.	V	3
cefixime	Capsule or tablet: 200 mg; 400 mg (as trihydrate).	E	3
	Powder for oral liquid: 100 mg /5 mL.	E	3
cefotaxime	Powder for injection: 250 mg per vial (as sodium salt).	N	3
ceftriaxone	Powder for injection: 250 mg; 1 g (as sodium salt) in vial.	N	2
□ cloxacillin		N	3
	Powder for injection: 500 mg (as sodium salt) in vial.	E	3
ceftazidime	Powder for injection: 250 mg or 1 g (as pentahydrate) in vial.	E	4
procaine benzylpenicillin	Powder for injection: 1 g (=1 million IU); 3 g (=3 million IU) in vial.	E	4

6.2.2 Other antibacterials

amikacin	Injection: 250 mg (as sulfate)/mL in 2-mL vial	V	7
azithromycin	Capsule: 250 mg; 500 mg (anhydrous).	E	5
	Oral liquid: 200 mg/5 mL.	E	5
ciprofloxacin	Solution for IV infusion: 2 mg/ mL (as hyclate). Tablet (scored): 500 mg (as hydrochloride).	E	2
clarithromycin	Solid oral dosage form: 500 mg.	N	2
	Powder for injection: 500 mg in vial.	N	2
clindamycin	Capsule: 150 mg (as hydrochloride).	N	3
	Injection: 150 mg (as phosphate)/ mL.	N	3
	Oral liquid: 75 mg/5 mL (as palmitate).	N	3






المرفقات: التاريخ: الرقم:

doxycycline	Oral liquid: 25 mg/5 mL; 50 mg/5 mL (anhydrous).	N	3
	Solid oral dosage form: 50 mg; 100 mg (as hyclate).		
	Powder for injection: 100 mg in vial.		
chloramphenicol	Powder for injection: 1 g (sodium succinate) in vial.	E	5
phenoxymethylpenicillin	Powder for oral liquid: 250 mg/5 mL (as potassium).	E	5
	Tablet: 250 mg; 500 mg (as potassium).	E	1
gentamicin	Injection: 10 mg; 40 mg (as sulfate)/ mL in 2- mL vial.	E	3
metronidazole	Injection: 500 mg in 100- mL vial.	E	1
	Oral liquid: 200 mg (as benzoate)/5 mL.	N	3
	Suppository: 500 mg; 1 g.	N	3
	Tablet: 200 mg to 500 mg.	V	1
Nitrofurantoin	Oral liquid: 25 mg/5 mL.	V	7
	Tablet: 100 mg.	E	5
Sulfamethoxazole + trimethoprim	Injection: 80 mg + 16 mg/ mL in 5- mL ampoule; 80 mg + 16 mg/ mL in 10- mL ampoule.	E	5
	Oral liquid: 200 mg + 40 mg/5 mL.	E	2
	Tablet: 100 mg + 20 mg; 400 mg + 80 mg; 800 mg + 160 mg.	E	2
Fosfomycin	Powder for injection: 2 g; 4 g (as sodium) in vial.	E	2
linezolid	Injection for intravenous administration: 2 mg/mL in 300 mL bag.	E	2
Vancomycin	Powder for injection: 250 mg (as hydrochloride) in vial.		

6.2.3 Anti-leprosy medicines



9



المرقعات

التاريخ

الرقم

clofazimine	Capsule: 50 mg; 100 mg.	E	2
dapsone	Tablet: 25 mg; 50 mg; 100 mg.	E	2
rifampicin	Solid oral dosage form: 150 mg; 300 mg.	V	2
6.2.4 Antituberculosis medicines			
Ethambutol	Tablet: 400 mg (hydrochloride).	V	3
Ethambutol + isoniazid + Pyrazinamide + rifampicin	Tablet: 275 mg + 75 mg + 400 mg + 150 mg.	V	3
Ethambutol + isoniazid + rifampicin	Tablet: 275 mg + 75 mg + 150 mg.	E	3
Clofazimine	Capsule: 50 mg; 100 mg.	E	3
Bedaquiline	Tablet: 20 mg 100 mg ≥ 5 years	V	3
Delamanid	≥ 3 years (25 mg dispersible tablet) ≥ 6 years (50 mg tablet)	V	3
Protionamide	Tablet 200mg	V	3
isoniazid	Tablet: 100 mg to 300 mg.	V	3
isoniazid + pyrazinamide + rifampicin	Tablet (dispersible): 50 mg + 150 mg + 75 mg.	V	3
isoniazid + rifampicin	Tablet: 75 mg + 150 mg; 150 mg + 300 mg.	V	3
Pyrazinamide	Tablet: 400 mg.	N	3
Levofloxacin	Tablet: 250, 500mg	N	3
Amikacin	Powder for injection: 100 mg; 500 mg; 1 g (as sulfate) in vial.	N	3
Capreomycin	Powder for injection: 1 g (as sulfate) in vial.	N	3
Cycloserine	Solid oral dosage form: 250 mg.	N	3
Ethionamide	Tablet: 250 mg.	E	3
P-aminosalicylic acid	Granules: 4 g in sachet.	E	3
	Tablet: 500 mg.	E	3
Streptomycin	Powder for injection: 1 g (as sulfate) in vial.	V	3

6.3 Antifungal medicines

الجمهورية اليمنية
وزارة الصحة العامة والسكان
الإدارة العامة لمكتب الوزير
التاريخ: 10/1/2022





المرقعات:

التاريخ:

الرقم:

Amphotericin B	Powder for injection: 50 mg in vial (as sodium deoxycholate or liposomal complex).	N	1
Clotrimazole	Vaginal cream: 1%; 10%.	E	2
	Vaginal tablet: 100 mg; 500 mg.	E	2
Fluconazole	Capsule: 50 mg.	E	2
	Injection: 2 mg/ mL in vial.	E	1
	Oral liquid: 50 mg/5 mL.	E	1
Griseofulvin	Oral liquid: 125 mg/5 mL.	E	1
	Solid oral dosage form: 125 mg; 250 mg.	E	4
Itraconazole	Capsule: 100 mg.	E	3
	Oral liquid: 10 mg/mL.	E	3
Nystatin	Oral liquid: 50 mg/5 mL; 100 000 IU/ mL.	E	3
	Pessary: 100 000 IU.	N	1
Vriconazole	Tablet: 200 mg	N	1
6.4 Antiviral medicines			
6.4.1 Antiherpes medicines			
□ Aciclovir	Oral liquid: 200 mg/5 mL.	V	3
	Powder for injection: 250 mg (as sodium salt) in vial.	V	3
	Tablet: 200 mg.	V	3
6.4.2 Antiretrovirals			
6.4.2.1 Nucleoside/Nucleotide reverse transcriptase inhibitors			
Abacavir (ABC)	Tablet: 300 mg (as sulfate).	E	3
	Tablet (dispersible, scored): 60 mg (as sulfate).	E	3
lamivudine (3TC)	Oral liquid: 50 mg/5 mL.	E	3
	Tablet: 150 mg.	E	3
Tenofovir disoproxil fumarate (TDF)	Tablet: 300 mg (tenofovir disoproxil fumarate - equivalent to 245 mg tenofovir disoproxil).	E	3





الرقم: التاريخ: المرفقات:

Zidovudine (ZDV or AZT)	Capsule: 250 mg.	V	3
	Oral liquid: 50 mg/5 mL.	V	3
	Solution for IV infusion injection: 10 mg/mL in 20- mL vial.	V	3
	Tablet: 300 mg.	V	3
	Tablet (dispersible, scored): 60 mg (as sulfate).	V	3
6.4.2.2 Non-nucleoside reverse transcriptase inhibitors			
Efavirenz (EFV or EFZ)	Tablet: 200 mg (scored); 600 mg.	E	4
		E	4
6.4.2.3 Protease inhibitors			
lopinavir + ritonavir	Solid oral dosage form: 40 mg + 10 mg Tablet (heat stable): 100 mg + 25 mg; 200 mg + 50 mg.	V	5
6.4.2.4 Integrase inhibitors			
dolutegravir a	Tablet (dispersible, scored): 10 mg. a ≥ 4 weeks and ≥ 3 kg Tablet: 50 mg a ≥ 25 kg	E	4
Raltegravir *	Granules for oral suspension: 100 mg in sachet. Tablet (chewable): 25 mg. Tablet: 400 mg. *For use in pregnant women and in second-line regimens in accordance with WHO treatment guidelines.	E	4
FIXED-DOSE COMBINATIONS			
Abacavir + lamivudine	Tablet (dispersible, scored): 60 mg (as sulfate) + 30 mg; 120 mg (as sulfate) + 60 mg.	E	

الجمهورية اليمنية
وزارة الصحة العامة والسكان
الإدارة العامة للشؤون القانونية
مستشار الشؤون القانونية
التاريخ: ٢٠٢٥/٠٧/٢٥

12

الرقم: _____ التاريخ: _____ المرفقات: _____

Efavirenz + emtricitabine + tenofovir	Tablet: 600 mg + 200 mg + 300 mg (disoproxil fumarate equivalent to 245 mg tenofovir disoproxil).	E	4
Efavirenz + lamivudine + tenofovir	Tablet: 400 mg + 300 mg + 300 mg (disoproxil fumarate equivalent to 245 mg tenofovir disoproxil)	E	4
Emtricitabine + tenofovir	Tablet: 200 mg + 300 mg (disoproxil fumarate equivalent to 245 mg tenofovir disoproxil).	E	4
Dolutegravir + lamivudine + tenofovir	Tablet: 50 mg + 300 mg + 300 mg (tenofovir disoproxil fumarate – equivalent to 245 mg tenofovir disoproxil)	E	4
Lamivudine + zidovudine	Tablet: 30 mg + 60 mg; 150 mg + 300 mg.	E	4

6.4.2.5 Medicines for prevention of HIV-related opportunistic infections

isoniazid + pyridoxine + sulfamethoxazole + trimethoprim	Tablet (scored): 300 mg + 25 mg + 800 mg + 160 mg.	V	3
--	--	---	---

6.4.3 Other antivirals



Ribavirin	Injection for intravenous administration: 800 mg and 1 g in 10-mL phosphate buffer solution.	E	4
	Solid oral dosage form: 200 mg; 400 mg; 600 mg.	E	4
Valganciclovir	Powder for oral solution: 50 mg/mL	E	4
	Tablet: 450 mg.	E	4
Oseltamivir	Capsule: 30 mg; 45 mg; 75 mg (as phosphate).	E	4
	Oral powder: 12 mg/ mL.	V	3

6.4.4 Antihepatitis medicines

6.4.4.1 Medicines for hepatitis B

6.4.4.1.1 Nucleoside/Nucleotide reverse transcriptase inhibitors

Entecavir	Oral liquid: 0.05 mg/ mL	E	3
-----------	--------------------------	---	---





المرفقات: التاريخ: الرقم:

	Tablet: 0.5 mg; 1 mg	E	3
Tenofovir disoproxil fumarate (TDF)	Tablet: 300 mg (tenofovir disoproxil fumarate – equivalent to 245 mg tenofovir disoproxil).	N	3

6.4.4.2 Medicines for hepatitis C

FIXED-DOSE COMBINATIONS

ledipasvir + sofosbuvir	Tablet: 90 mg + 400 mg.	E	3
sofosbuvir + velpatasvir	Tablet: 400 mg + 100 mg	E	3
sofosbuvir + ribavirine	Tablet: 400 mg + 200 mg.	N	3

6.5 Antiprotozoal medicines

6.5.1 Antiamoebic and anti giardiasis medicines

diloxanide	Tablet: 500 mg (furoate).	E	3
□ metronidazole	Injection: 500 mg in 100- mL vial.	E	2
	Oral liquid: 200 mg (as benzoate)/5 mL.	E	1
	Tablet: 200 mg to 500 mg.	E	1

6.5.2 Antileishmaniasis medicines

Miltefosine	Solid oral dosage form: 10 mg; 50 mg.	V	2
Amphotericin B	Powder for injection: 50 mg in vial (as sodium deoxycholate or liposomal complex).	V	2
Paromomycin	Solution for intramuscular injection: 750 mg of paromomycin base (as the sulfate).	V	2
Sodium stibogluconate	Injection: 100 mg/ mL, 1 vial = 30 mL or 30%, equivalent to approximately 8.1% antimony (pentavalent) in 5- mL ampoule.	E	3

6.5.3 Antimalarial medicines

6.5.3.1 For curative treatment

Artemether	Oily injection: 80 mg/ mL in 1- mL ampoule.	2	
Artemether + lumefantrine	Tablet: 20 mg + 120 mg.	2	

14
وزارة الصحة العامة والسكان

الجمهورية اليمنية
وزارة الصحة العامة والسكان
الإدارة العامة للشؤون القانونية
2
التاريخ: 15/03/2022





المرفقات:

التاريخ:

الرقم:

	480mg+120mg	V	2
	360mg+80mg	V	2
	240mg+40mg	V	2
	120mg+20mg	V	2
Artesunate	Injection: ampoules, containing 60 mg anhydrous artesunic acid with a separate ampoule of 5% sodium bicarbonate solution.	V	2
	Suppositories: 50mg	V	2
Quinine*	Injection: 300 mg quinine hydrochloride/ mL in 2- mL ampoule.	V	2
	Tablet: 300 mg (quinine sulfate) or 300 mg (quinine bisulfate). *For use only in the management of severe malaria and should be used in combination with doxycycline	V	2
Mefloquine*	Tablet: 250 mg (as hydrochloride). *To be used in combination with artesunate 50 mg	V	2
Primaquine*	Tablet: 7.5 mg; 15 mg (as diphosphate). *Only for use to achieve radical cure of Plasmodium vivax and Plasmodium ovale infections, given for 14 days.	V	2
Sulfadoxine + pyrimethamine+artesunat	Tablet: 50 mg + 500 mg+25mg	V	2
	100mg+500mg+25mg	V	2
6.5.3.2 For prophylaxis			
Doxycycline	Solid oral dosage form: 100 mg (as hydrochloride or hyclate).	V	1
mefloquine	Tablet: 250 mg (as hydrochloride).	V	1
proguanil	Tablet: 100 mg (as hydrochloride).	V	1
6.5.4 Antipneumocystosis and antitoxoplasmosis medicines			
Pyrimethamine	Tablet: 25 mg	V	2





الرقم: التاريخ: المرفقات:

Sulfamethoxazole + trimethoprim	Injection: 80 mg + 16 mg/ mL in 5- mL ampoule; 80 mg + 16 mg/ mL in 10- mL ampoule.	V	2
	Oral liquid: 200 mg + 40 mg/5 mL.	V	1
	Tablet: 100 mg + 20 mg; 400 mg + 80 mg.	V	1
pentamidine	Tablet: 200 mg; 300 mg (as isethionate).	E	1

7. ANTIMIGRAINE MEDICINES

7.1 For treatment of acute attack

Ibuprofen	Oral liquid: 200 mg/5 mL.	N	2
	Tablet: 200 mg; 400 mg.	E	1
paracetamol	Oral liquid: 120 mg/5 mL; 125 mg/5 mL.	E	1
	Tablet: 300 mg to 500 mg.	N	2
sumatriptan	Tablet: 50 mg.	N	2

7.2 For prophylaxis

<input type="checkbox"/> propranolol	Tablet: 20 mg; 40 mg (hydrochloride).	V	2
--------------------------------------	---------------------------------------	---	---

8. ANTINEOPLASTICS AND IMMUNOSUPPRESSIVES

8.1 Immunosuppressive medicines

Ciclosporin	Capsule: 25 mg, 50 mg, 100 mg.	V	2
	Concentrate for injection: 50 mg/ mL in 1- mL ampoule for organ transplantation.	V	2
Azathioprine	Powder for injection: 100 mg (as sodium salt) in vial.	V	2
	Tablet (scored): 50 mg.	V	2
Basiliximab	Injection: 10 mg	V	2
Mycophenolate	Capsule: 500 mg.	V	2
Sirolimus	Capsule: 1 mg.	V	2
Antithymocyte globulin	Injection: 25 mg	V	2
Tacrolimus	Capsule: 0.5 mg & 1 mg.	V	2

8.2 Cytotoxic and adjuvant medicines

الجمهورية اليمنية
وزارة الصحة العامة والسكان
الإدارة العامة للشؤون القانونية
مدير عام المكتب
التاريخ: ٢٥/٧/٢٠٢٠



المرفقات:

التاريخ:

الرقم:

paraginase	Powder for injection: 10 000 IU in vial.	✓	✓
bendamustine	Injection: 45 mg/0.5 mL; 180 mg/2 mL.	✓	✓
bleomycin	Powder for injection: 15 mg (as sulfate) in vial.	✓	✓
calcium folinate	Injection: 50 mg & 100 mg in 10- mL ampoule	✓	✓
	Tablet: 15 mg.	✓	✓
capecitabine	Tablet: 500 mg.	✓	✓
carboplatin	Injection: 150 mg/15 mL; 450 mg/45 mL; 600 mg/60 mL.	✓	✓
chlorambucil	Tablet: 2 mg.	✓	✓
cisplatin	Injection: 50 mg/50 mL; 100 mg/100 mL, 10 mg/10ml	✓	✓
cyclophosphamide	Powder for injection: 200 mg ,500,1000 mg in vial.	✓	✓
cytarabine	Powder for injection: 100 mg,500 mg & 1000 mg in vial.	✓	✓
dacarbazine	Powder for injection: 100 mg,200 mg & 500 mg in vial.	✓	✓
dactinomycin	Powder for injection: 500 micrograms in vial.	✓	✓
dasatinib	Tablet: 20 mg; 50 mg; 70 mg; 80 mg; 100 mg; 140 mg.	✓	✓
docetaxel	Injection: 20 mg/ mL; 80 mg/ 4mL.	✓	✓
Liposomol Doxorubicin	التأكد من الجرعة ٢٠ mg	✓	✓
doxorubicin	Powder for injection: 10 mg; 50 mg (hydrochloride) in vial.	✓	✓
etoposide	Capsule: 50 & 100 mg.	✓	✓
	Injection: 20 mg/ mL in 5- mL ampoule.	✓	✓
filgrastim	Injection: 120 micrograms/0.2 mL; 300 micrograms/0.5 mL; 480 micrograms/0.8 mL in pre-filled syringe	✓	✓

الجمهورية اليمنية
وزارة الصحة العامة والسكان
الإدارة العامة للشؤون القانونية
مكتب الوزير
التاريخ: ٢٠٢٢/٧/٢٥

المرفقات:

التاريخ:

الرقم:

	300 micrograms/mL in 1- mL vial, 480 mg/1.6 mL in 1.6- mL vial.		
fludarabine	Powder for injection: 50 mg (phosphate) in vial.	√	√
fluorouracil	Injection: 50 mg/ mL in 5- mL & 500mg/10ml ampoule.	√	√
gemcitabine	Powder for injection: 200 mg in vial, 1 g in vial.	√	√
Human Recombinant Erythropoietin	Injection: pre-filled syringe 1000 IU/0.5 mL; 2000 IU/0.5 mL; 3000 IU/0.3 mL; 4000 IU/0.4 mL; 5000 IU/0.5 mL; 6000 IU/0.6 mL; 8000 IU/0.8mL; 10 000 IU/1 mL; 20 000 IU/0.5 mL; 40 000 IU/1 mL	√	√
Hydroxyurea	Capsules: 500mg	√	√
ifosfamide	Powder for injection: 500 mg vial; 1-g vial; 2-g vial.	√	√
imatinib	Tablet: 100 mg; 400 mg.	√	√
irinotecan	Injection: 40 mg/2 mL in 2- mL vial; 100 mg/5 mL in 5- mL vial; 500 mg/25 mL in 25- mL vial.	√	√
mercaptopurine	Tablet: 50 mg.	√	√
mesna	Injection: 100 mg/ mL in 4- mL and 10- mL ampoules.	√	√
	Tablet: 400 mg; 600 mg.	√	√
methotrexate	Powder for injection: 50 mg (as sodium salt) in vial and 5m mg as intrathecal	√	√
	Tablet: 2.5 mg (as sodium salt).	√	√
nilotinib	Capsule: 150 mg; 200 mg.	√	√
oxaliplatin	Injection: 50 mg/10 mL in 10- mL vial; 100 mg/20 mL in 20- mL vial; 200 mg/40 mL in 40- mL vial.	√	√
	Powder for injection: 50 mg, 100 mg in vial.	√	√

الجمهورية اليمنية
وزارة الصحة العامة والسكان
الإدارة العامة للشؤون القانونية
مكتب الوزير
ص.ب. 299 - صنعاء
252227
2018/11/18



المرفقات:

التاريخ:

الرقم:

mitaxel	Powder for injection: 30mg/5ml, 100mg/16.7ml,150mg/25ml.	✓	✓
procarbazine	Capsule: 50 mg (as hydrochloride).	✓	✓
rituximab	Injection: 100 mg/10 mL in 10- mL vial; 500 mg/50 mL in 50- mL vial.	✓	✓
trastuzumab	Powder for injection: 60 mg; 150 mg; 440 mg in vial.	✓	✓
vinblastine	Powder for injection: 10 mg (sulfate) in vial.	✓	✓
Letrozole	Tablet 2.5mg	✓	✓
Temozolomide	Cap 100,250mg	✓	✓
Bevacizumab	Injection : 100mg/4ml,400mg/16ml in the Vial	✓	✓
Mitoxantron	Injection: 20mg/10ml Vial	✓	✓
sunitinib	Cap:12.5 & 50mg	✓	✓
Pazopanib	Tab 400mg	✓	✓
Pemetrexed	Injection: 500mg Vial	✓	✓
Nivolumab	Injection:40Mg/4ml & 100mg/10ml Vial	✓	✓
Palbociclib	Cap:125mg	✓	✓
Everolimus	Cap: 5 mg ,10mg	✓	✓
Gefitinib	Tab:250mg	✓	✓
Lapatinib	Tab: 250mg	✓	✓
Cetuximab	Injection:100Mg/50ml Vial	✓	✓
Cabazitaxel	Injection: 60mg/1.5ml Vial	✓	✓
bortezumib	Injection:2 mg ,3.5 mg Vial	✓	✓
Erlotinib	Tab:100mg	✓	✓
Brentuximab Vedotin	Injection: 50mg Vial	✓	✓
Cabozantinib	Tab: 60mg	✓	✓
Ceritinib	Cap:150mg	✓	✓
Crizotinib	Cap: 250mg	✓	✓
Denosumab	Injection: 60mg Prifed syring	✓	✓
Eltrombopag olamin	Tab: 50mg	✓	✓

19

الجمهورية اليمنية
وزارة الصحة العامة والسكان
الإدارة العامة للشؤون القانونية




المرفقات:

التاريخ:

الرقم:

alutamide	Tab: 40mg	✓	✓
dvestrant	Tab: 250mg	✓	✓
infliximab	Tab:100mg/ml	✓	✓
Interfron alfa natural	Injection:3 milion	✓	✓
Ipilimumab	Injection: 50mg Vial	✓	✓
Lenvatinib	Injection: 4mg & 10mg Vial	✓	✓
Leuproreline acetate	Leuproreline acetate	✓	✓
Lomustine	Tab: 40mg	✓	✓
Olaparib	Tab: 150mg	✓	✓
Ozimetinib	Tab: 80mg	✓	✓
Pembrolizumab	Injection:100mg Vial	✓	✓
Pomalidomide	Cap: 2 mg, 4 mg	✓	✓
Ramucirumab	Injection:100mg/50ml,500mg/50 ml Vial	✓	✓
Regorafenib	Tab: 40 mg	✓	✓
Ribociclib	Tab: 200 mg	✓	✓
Ruxolitinib	Tab: 15 mg	✓	✓
Tegafur	Tab: 100 mg	✓	✓
Topotecan	Injection: 2.5 mg,4mg Vial	✓	✓
Ado Trastuzumab	Injection: 1 mg Vial	✓	✓
Tretinoin	Tab: 10 mg	✓	✓
Vandetanib	Cap: 300 mg,100 mg	✓	✓
Lenalidomide	Tab:10 mg,25mg	✓	✓
Idarubicin	Injection: 5 mg,20 mg Amp	✓	✓
Cladribin	Injection:10mg Amp	✓	✓
Azacitidine	Injection:100 mg Vial	✓	✓
Abiraterone	Tab: 250mg	✓	✓
Sorafenib	Tab: 200mg	✓	✓
vincristine	Powder for injection: 1 mg/mL (sulfate) in vial.	✓	✓
vinorelbine	Capsule: 20 mg; 30 mg; 80 mg. Injection: 10 mg/mL in 1- mL vial; 50 mg/5 mL in 5- mL vial.	✓	✓





المرفقات:

التاريخ:

الرقم:

edronic acid	Concentrate solution for infusion: 4 mg/5 mL in 5- mL vial.	V	v
	Solution for infusion: 4 mg/100 mL in 100- mL bottle.	V	v

8.3 Hormones and antihormones

<input type="checkbox"/> Anastrozole	Tablet: 1 mg.	E	4
		E	4
<input type="checkbox"/> Bicalutamide	Tablet: 50 mg.	E	4
Dexamethasone	Injection: 4 mg/ mL in 1- mL ampoule (as disodium phosphate salt).	E	4
<input type="checkbox"/> Goserelin	Injection: 3 mg ,6 mg,10 mg,8 mg in pre-filled syringe.	E	4
hydrocortisone	Powder for injection: 100 mg (as sodium succinate) in vial.	E	4
methylprednisolone	Injection: 40 mg/ mL (as sodium succinate) in 1- mL single-dose vial and 5- mL multi-dose vials; 80 mg/ mL (as sodium succinate) in 1- mL single-dose vial.	E	4
<input type="checkbox"/> prednisolone	Tablet: 5 mg; 20 mg.	E	4
tamoxifen	Tablet: 10 mg; 20 mg (as citrate).	E	4

9. ANTIPARKINSONISM MEDICINES

<input type="checkbox"/> biperiden	Injection: 5 mg (lactate) in 1- mL ampoule.	E	3
	Tablet: 2 mg (hydrochloride).	E	3
Trihexyphenidyl	Tablet: 2 mg, 5 mg	E	3
levodopa + <input type="checkbox"/> carbidopa	Tablet: 250 mg + 25 mg	E	3

10. MEDICINES AFFECTING THE BLOOD

10.1 Antianaemia medicines

Ferrous salt	Oral liquid: equivalent to 25 mg iron (as sulfate)/ mL.	E	1
	Tablet: equivalent to 60 mg iron.	E	1
Ferrous salt + folic acid	Tablet: equivalent to 60 mg iron + 400 micrograms folic acid (nutritional	E	1

الجمهورية اليمنية
وزارة الصحة العامة والسكان
الإدارة العامة للشؤون القانونية
المقتضى
التاريخ



المرفقات:

التاريخ:

الرقم:

	supplement for use during pregnancy).		
Folic acid	Tablet: 400 micrograms; 1 mg; 5 mg.	V	٧
Hydroxocobalamin	Injection: 1 mg (as acetate, as hydrochloride or as sulfate) in 1- mL ampoule.	E	١

10.2 Medicines affecting coagulation

<input type="checkbox"/> Enoxaparin	Injection: ampoule or pre-filled syringe 20 mg/0.2 mL; 40 mg/0.4 mL; 60 mg/0.6 mL; 80 mg/0.8 mL; 100 mg/1 mL; 120 mg/0.8 mL; 150 mg/1 mL	E	1
Heparin sodium	Injection: 1000 IU/ mL; 5000 IU/ mL; 20 000 IU/ mL in 1- mL ampoule.	V	4
Phytomenadione	Injection: 1 mg/ mL; 10 mg/ mL in 5- mL ampoule.	V	4
	Tablet: 10 mg.	V	4
Protamine sulfate	Injection: 10 mg/ mL in 5- mL ampoule.	V	4
Tranexamic acid	Injection: 100 mg/ mL in 10- mL ampoule.	V	4
Rivaroxaban	Tablet: 15 and 20 mg	N	4
<input type="checkbox"/> warfarin	Tablet: 1 mg; 2 mg; 5 mg (sodium salt).	V	4
Desmopressin Acetate	Tablet Oral :0.2 mg	E	1

10.3 Other medicines for haemoglobinopathies

deferasirox	Tablet Soluble, Oral:500MG		
-------------	----------------------------	--	--

11. BLOOD PRODUCTS OF HUMAN ORIGIN AND PLASMA SUBSTITUTES

11.2 Plasma-derived medicines

11.2.1 Human immunoglobulins

Anti-D immunoglobulin	Injection: 250 micrograms in single-dose vial.	V	7
Anti-rabies immunoglobulin	Injection: 150 IU/ mL in vial.	V	٧

22

Handwritten signatures and stamps, including a blue circular stamp of the Ministry of Health and Population.



المرفقات:

التاريخ:

الرقم:

anti-tetanus immunoglobulin	Injection: 500 IU in vial.	V	7	
11.2.2 Blood coagulation factors				
coagulation factor VIII	Powder for injection: 500 IU/vial	V	V	
coagulation factor IX	Powder for injection: 500 IU/vial, 1000 IU/vial.	V	V	
11.3 Plasma substitutes				
Dextran 70	Injectable solution: 6%.			
Albumin (human)	Injectable solution: 20% in 50 mL vial.	V	0	
12. CARDIOVASCULAR MEDICINES				
12.1 Antianginal medicines				
bisoprolol	Tablet: 2.5 mg; 5 mg.	E	3	
glyceryl trinitrate	Tablet (sublingual): 500 micrograms; Injection for IV infusion: 1 mg/mL	V	1	
glyceryl trinitrate	Capsule (XR): 2.5 mg	V	3	
isosorbide dinitrate	Tablet: 10 mg, 20 mg.	E	3	
verapamil	Tablet: 40 mg; 80 mg (hydrochloride).	E	3	
12.2 Antiarrhythmic medicines				
amiodarone	Injection: 50 mg/ mL in 3- mL ampoule (hydrochloride).			
	Tablet: 100 mg; 200 mg; 400 mg (hydrochloride).	N	7	
bisoprolol	Tablet: 2.5 mg; 5 mg.	N	7	
digoxin	Injection: 250 micrograms/ mL in 2- mL ampoule.	N	3	
	Oral liquid: 50 micrograms/ mL.	V	7	
	Tablet: 62.5 micrograms; 250 micrograms.	V	7	
epinephrine (adrenaline)	Injection: 100 micrograms/ mL (as acid tartrate or hydrochloride) in 10- mL ampoule.	V	7	
lidocaine	Injection: 20 mg (hydrochloride)/ mL in 5- mL ampoule.	V	3	

الجمهورية اليمنية
وزارة الصحة العامة والسكان
الإدارة العامة للشؤون القانونية
مكتب الوزير
التاريخ: 23/7/2023
23



المرفقات:

التاريخ:

الرقم:

apamil	Injection: 2.5 mg (hydrochloride)/ mL in 2- mL ampoule.	E	2
	Tablet: 40 mg; 80 mg (hydrochloride).	N	7
adenosine	Injection: 6 mg/2ml ampule.	N	7
propafenone	Tablet: 150 mg.	E	6
flecainide	Tablet: 50 mg & 100 mg.	V	7

12.3 Antihypertensive medicines

<input type="checkbox"/> amlodipine	Tablet: 5 mg (as maleate, mesylate or besylate).	E	7
<input type="checkbox"/> bisoprolol	Tablet: 2.5 mg; 5 mg.	N	6
<input type="checkbox"/> enalapril	Tablet: 2.5 mg; 5 mg (as hydrogen maleate).	N	6
captopril	Tablet (scored): 25 mg.	N	6
magnesium sulphate	Injection: 500 mg/mL	N	6
hydralazine	Powder for injection: 20 mg (hydrochloride) in ampoule.	N	6
	Tablet: 25 mg; 50 mg (hydrochloride).	V	6
<input type="checkbox"/> Indapamide	Tablet 1.5 mg	N	6
		N	6
methyldopa	Tablet: 250 mg & 500 mg.	N	6
losartan	Tablet: 25 mg, 50 mg & 100 mg.	V	2
Nifedipine (slow release formulations ONLY)	Tablet (slow release): 30 mg	E	6
propranolol	Tablet: 10 mg & Tablet (scored): 40 mg.	V	6
	Injection: 1 mg/mL in 1 mL ampule.	V	6
spironolactone	Tablet: 25 mg & 100mg.	V	3
Amlodipine/Lisinopril	Tablet: 10 mg + 5 mg; 20 mg + 5 mg; 20 mg + 10 mg	N	4
sodium nitroprusside	Powder for infusion: 50 mg in ampule.	N	4

12.4 Medicines used in heart failure

<input type="checkbox"/> Carvidelol	Tablet: 6.25 mg & 25 mg	E	6
digoxin	Injection: 250 micrograms/ mL in 2- mL ampule.	V	7



المرفقات:

التاريخ:

الرقم:

	Oral liquid: 50 micrograms/ mL.	V	7
	Tablet: 62.5 micrograms; 250 micrograms.	V	7
<input type="checkbox"/> enalapril	Tablet: 2.5 mg; 5 mg (as hydrogen maleate).	E	3
<input type="checkbox"/> furosemide	Injection: 10 mg/ mL in 2- mL ampoule.	V	2
	Oral liquid: 20 mg/5 mL.	V	2
	Tablet: 40 mg.	V	2
Empagliflozin	Tablet: 10 mg.	N	3
<input type="checkbox"/> Torsamide	Tab: 10 mg & 20 mg	N	3
<input type="checkbox"/> candesartan	Tablet: 8 mg & 16 mg.	N	3
spironolactone	Tablet: 25 mg.	V	7
dopamine	Injection: 40 mg/ mL (hydrochloride) in 5- mL vial.	V	7
dobutamine sulphate	Injection: 2 mg/mL.	V	7
epinephrine	Injection: 1 mg/mL in 1 mL ampule.	V	2

12.5 Antithrombotic medicines

12.5.1 Anti-platelet medicines

acetylsalicylic acid	Tablet: 100 mg.	E	1
clopidogrel	Tablet: 75 mg.	V	7
Tirofiban	Injection: 50 microgram/mL & 250 microgram/mL.	V	7
streptokinase	Powder for injection: 1.5 million IU in vial.	V	7

12.5.2 Thrombolytic medicines

alteplase	Powder and solvent for solution for injection: 50 mg & 100 mg vials	V	7
-----------	---	---	---

12.6 Lipid-lowering agents

<input type="checkbox"/> atorvastatin	Tablet: 20 mg; 40 mg.	E	3
<input type="checkbox"/> Fenofibrate	Tablet: 160 mg & 200 mg.	E	3

13. DERMATOLOGICAL MEDICINES (topical)

الجمهورية اليمنية
وزارة الصحة العامة والسكان
الإدارة العامة للشؤون القانونية
التاريخ: 2022/05/05

وزارة الصحة
الإدارة العامة للشؤون القانونية



المرفقات:

التاريخ:

الرقم:

13.1 Antifungal medicines

<input type="checkbox"/> miconazole	Cream: 2% (nitrate) in 20 gm tube.	N	2
selenium sulfide	Detergent-based suspension: 2%.	N	2
benzoic acid + salicylic acid	Ointment: 6% & 3% in 15-30 gram tube.	N	1

13.2 Anti-infective medicines

fucidic acid	cream 2% in 15-30 gram tube.	N	2
potassium permanganate	Aqueous solution: 1:10 000.	N	1
silver sulfadiazine	Cream: 1%.	E	3

13.3 Anti-inflammatory and antipruritic medicines

<input type="checkbox"/> betamethasone	Cream or ointment: 0.1% (as valerate).	E	3
clobetasone propionate	ointment 0.5%	N	2
<input type="checkbox"/> calamine	Lotion: 5% in 100 mL bottle.	N	1
<input type="checkbox"/> hydrocortisone	Cream or ointment: 1% (acetate).	N	2

13.4 Medicines affecting skin differentiation and proliferation

benzoyl peroxide	Cream or lotion: 5%.	E	5
coal tar	Solution: 5%.	E	5
fluorouracil	Ointment: 5%.	E	5
<input type="checkbox"/> podophyllum resin	Solution: 10% to 25%.	E	5
salicylic acid	Solution: 5%.	E	5

13.5 Scabicides and pediculicides

<input type="checkbox"/> benzyl benzoate	Lotion: 25%.	N	1
permethrin	Cream: 5% & Lotion: 1%.	N	2

14. DIAGNOSTIC AGENTS

14.1 Ophthalmic medicines

fluorescein	Eye drops: 1% (sodium salt).	E	4
<input type="checkbox"/> tropicamide	Eye drops: 0.5%.	E	4

14.2 Radiocontrast media

<input type="checkbox"/> amidotrizoate	Injection: 140 mg to 420 mg iodine (as sodium or meglumine salt)/ mL in 20-mL ampoule.	N	4
barium sulfate	Aqueous suspension.	N	4

26

الجمهورية اليمنية
وزارة الصحة العامة والسكان
الإدارة العامة بكتاب الوزير
المختص
التاريخ: 17/11/2019



المرفقات:

التاريخ:

الرقم:

<input type="checkbox"/> iohexol	Injection: 140 mg to 350 mg iodine/ mL in 5- mL; 10- mL; 20- mL ampoules.	N	4
<input type="checkbox"/> Meglumine iotroxate	Solution: 5 g to 8 g iodine in 100 mL to 250 mL.	N	4

15. DISINFECTANTS AND ANTISEPTICS

15.1 Antiseptics

<input type="checkbox"/> Chlorhexidine	Solution: 5% (digluconate).	N	1
<input type="checkbox"/> Ethanol	Solution: 70% (denatured).	E	1
<input type="checkbox"/> Povidone iodine	Solution: 10% (equivalent to 1% available iodine).	E	1

15.2 Disinfectants

Alcohol based hand rub	Solution: containing ethanol 80% volume /volume	E	1
	Solution: containing isopropyl alcohol 75% volume/volume	E	1
<input type="checkbox"/> chlorine base compound	Powder: (0.1% available chlorine) for solution.	E	2
<input type="checkbox"/> chloroxylenol	Solution: 4.8%.	E	2
glutaral	Solution: 2%.	E	2



16. DIURETICS

<input type="checkbox"/> furosemide	Injection: 10 mg/ mL in 2- mL ampoule.	V	2
	Oral liquid: 20 mg/5 mL.	V	2
	Tablet: 10 mg; 20 mg; 40 mg.	V	2
<input type="checkbox"/> hydrochlorothiazide	Solid oral dosage form: 25 mg.	E	6
mannitol	Injectable solution: 10%; 20%.	V	3
spironolactone	Tablet: 100 mg.	V	3

17. GASTROINTESTINAL MEDICINES

<input type="checkbox"/> pancreatic enzymes	Age-appropriate formulations and doses including lipase, protease and amylase.	E	3
---	--	---	---

17.1 Antiulcer medicines





المرفقات:

التاريخ:

الرقم:

<input type="checkbox"/> omeprazole	Powder for injection: 40 mg in vial	E	3
	Solid oral dosage form: 10 mg; 20 mg; 40 mg.	E	2
17.2 Antiemetic medicines			
dexamethasone	Injection: 4 mg/ mL in 1- mL ampoule (as disodium phosphate salt).	N	1
	Oral liquid: 0.5 mg/5 mL; 2 mg/5 mL.	N	1
	Solid oral dosage form: 0.5 mg; 0.75 mg; 1.5 mg; 4 mg.	V	2
metoclopramide	Injection: 5 mg (hydrochloride)/ mL in 2- mL ampoule.	E	2
ondansetron	Injection: 2 mg base/ mL in 2- mL ampoule (as hydrochloride).	E	2
	Oral liquid: 4 mg base/5 mL.	V	2
	Solid oral dosage form: Eq 4 mg base; Eq 8 mg base; Eq 24 mg base.	V	7
17.3 Anti-inflammatory medicines			
mesalazine	Suppository: 1000 mg; Tablet: 500 mg, 800 mg.		
<input type="checkbox"/> sulfasalazine	Retention enema. Suppository: 500 mg.	N	3
	Tablet: 500 mg.	N	3
<input type="checkbox"/> hydrocortisone	Retention enema.	V	3
	Suppository: 25 mg (acetate).	V	3
methylprednisolone	Injection: 40 mg/mL.	E	3
17.4 Laxatives			
bisacodyl	Tablet (enteric coated): 10 mg.	N	2
Glycerin	Suppository	N	3
17.5 Medicines used in diarrhoea			
17.5.1 Oral rehydration			
	Powder for dilution in 200 mL; 500 mL; 1 L.		





الرقم: التاريخ: المرفقات:

oral rehydration salts	glucose:	75 mEq		
	sodium:	75 mEq or		
	mmol/L			
	chloride:	65 mEq or		
	mmol/L			
	potassium:	20 mEq or		
	mmol/L			
	citrate:	10 mmol/L		
	osmolarity:	245 mOsm/L		
	glucose:	13.5 g/L		
sodium chloride:	2.6 g/L			
potassium chloride:	1.5 g/L			
trisodium citrate dihydrate:	2.9 g/L			

17.5.2 Medicines for diarrhoea

zinc sulfate	Solid oral dosage form: 20 mg.	E	3
--------------	--------------------------------	---	---

18. HORMONES, OTHER ENDOCRINE MEDICINES AND CONTRACEPTIVES

18.1 Adrenal hormones and synthetic substitutes

fludrocortisone	Tablet: 100 micrograms (acetate).	N	3
hydrocortisone	Tablet: 5 mg; 10 mg; 20 mg.	N	2

18.2 Androgens



18.3 Contraceptives

18.3.1 Oral hormonal contraceptives

<input type="checkbox"/> ethinylestradiol + <input type="checkbox"/> levonorgestrel	Tablet: 30 micrograms + 150 micrograms.	E	3
<input type="checkbox"/> ethinylestradiol + <input type="checkbox"/> norethisterone	Tablet: 35 micrograms + 1 mg.	E	3
levonorgestrel	Tablet: 750 micrograms (pack of two)	E	3

18.3.2 Injectable hormonal contraceptives

estradiol cypionate + medroxyprogesterone acetate	Injection: 5 mg + 25 mg.	E	3
medroxyprogesterone acetate	Injection (intramuscular): 150 mg/ mL in 1-mL vial.	E	3






المرفقات:

التاريخ:

الرقم:

norethisterone enantate	Oily solution: 200 mg/ mL in 1- mL ampoule.	E	3
18.3.3 Intrauterine devices			
copper-containing device		N	2
levonorgestrel-releasing intrauterine system	Intrauterine system with reservoir containing 52 mg of levonorelrel	N	2
18.3.4 Barrier methods			
Condoms		N	1
18.3.5 Implantable contraceptives			
levonorgestrel-releasing implant	Single-rod etonogestrel-releasing implant: containing 68 mg of etonogestrel.	N	3
18.3.6 Intravaginal contraceptives			
progesterone vaginal ring	Progesterone-releasing vaginal ring containing 2.074 g of micronized progesterone		
18.4 Estrogens			
18.5 Insulins and other medicines used for diabetes			
<input type="checkbox"/> Gliclazide	Solid oral dosage form: (controlled-release tablets) 30 mg; 60 mg; 80 mg.	E	4
glucagon	Injection: 1 mg/ mL.	V	4
Insulin glargine	Injection: 100 IU/mL in 3 mL cartridge or pre-filled pen.	V	4
insulin injection (soluble)	Injection: 40 IU/ mL in 10- mL vial; 100 IU/ mL in 10- mL vial.	V	4
Insulin Mixtard (30/70) (50/500)	injection 100 iu/ml Vial 10 ml	V	4
intermediate-acting insulin	Injection: 40 IU/ mL in 10- mL vial; 100 IU/ mL in 10- mL vial (as compound insulin zinc suspension or isophane insulin).	V	4
Metformin	Tablet: 500 mg (hydrochloride).		
Metformin+Glyburide	Tablet:500/5 mg		



30



المرفقات:

التاريخ:

الرقم:

18.6 Ovulation inducers

clomifene	Tablet: 50 mg (citrate).	E	5
-----------	--------------------------	---	---

18.7 Progestogens

<input type="checkbox"/> norethindrone	Tablet: 5 mg.	E	3
--	---------------	---	---

<input type="checkbox"/> medroxyprogesterone acetate	Tablet: 5 mg.	E	4
--	---------------	---	---

18.8 Thyroid hormones and antithyroid medicines

levothyroxine	Tablet: 25 micrograms; 50 micrograms; 100 micrograms (sodium salt).	V	3
---------------	---	---	---

potassium iodide	Tablet: 60 mg.	V	3
------------------	----------------	---	---

<input type="checkbox"/> propylthiouracil	Tablet: 50 mg.	V	3
---	----------------	---	---

<input type="checkbox"/> carbimazole	Tablet: 5 mg.	V	3
--------------------------------------	---------------	---	---

19. IMMUNOLOGICALS

19.1 Diagnostic agents

tuberculin, purified protein derivative (PPD)	Injection.	E	5
---	------------	---	---

19.2 Sera and immunoglobulins

Anti-venom immunoglobulin	Injection.	V	5
	Exact type to be defined locally.	V	5

diphtheria antitoxin	Injection: 10 000 IU; 20 000 IU in vial.	N	5
----------------------	--	---	---

19.3 Vaccines

Recommendations for all

BCG vaccine		V	1
-------------	--	---	---


hepatitis B vaccine		V	1
---------------------	--	---	---

pneumococcal vaccine		V	1
----------------------	--	---	---

poliomyelitis vaccine		V	1
-----------------------	--	---	---

rotavirus vaccine		V	1
-------------------	--	---	---

الجمهورية اليمنية
وزارة الصحة العامة والسكان
الإدارة العامة للشؤون القانونية
صحة
التوقيع:





المرفقات:

التاريخ:

الرقم:

bivalent oral polio vaccine (BOPV)		V	1
penta vaccine		V	1
measles and rubella vaccine		V	1
injection polio vaccine (IPV)		V	1
tetanus and diphtheria vaccine (TD)		V	1
Recommendations for some high-risk populations			
cholera vaccine		V	1
meningococcal meningitis vaccine		V	1
rabies vaccine		V	1
typhoid vaccine		V	1
Recommendations for immunization programmes with certain characteristics			
influenza vaccine (seasonal)		E	1
20. MUSCLE RELAXANTS (PERIPHERALLY-ACTING) AND CHOLINESTERASE INHIBITORS			
<input type="checkbox"/> atracurium	Injection: 10 mg/ mL (besylate).	V	1
<input type="checkbox"/> Suxamethonium	Injection: 50 mg (chloride)/ mL in 2- mL ampoule.	V	1
	Powder for injection (chloride), in vial.	V	1
Sugammadex	Injection: 100 mg/mL, 2 mL vial	V	1
Rocuronium (as bromide)	Inj: 10 mg/mL, 5 mL ampul/vial	V	1
<input type="checkbox"/> vecuronium	Powder for injection: 10 mg (bromide) in vial.	V	1
21. OPHTHALMOLOGICAL PREPARATIONS			
21.1 Anti-infective agents			
aciclovir	Ointment: 3% W/W.	N	3
<input type="checkbox"/> erythromycin	Ointment: 0.5% or drops:	N	3
<input type="checkbox"/> gentamicin	Solution (eye drops): 0.3% (sulfate).	N	3
<input type="checkbox"/> tetracycline	Eye ointment: 1% (hydrochloride).	N	1



المرفقات:

التاريخ:

الرقم:

21.2 Anti-inflammatory agents

<input type="checkbox"/> prednisolone	Solution (eye drops): 0.5% (sodium phosphate).	N	3
---------------------------------------	--	---	---

21.3 Local anaesthetics

<input type="checkbox"/> tetracaine	Solution (eye drops): 0.5% (hydrochloride).	N	3
-------------------------------------	---	---	---

21.4 Miotics and antiglaucoma medicines

Acetazolamide	Tablet: 250 mg.	N	3
latanoprost	Solution (eye drops): latanoprost 50 micrograms/mL	E	3
<input type="checkbox"/> pilocarpine	Solution (eye drops): 2%; 4% (hydrochloride or nitrate).	E	3
<input type="checkbox"/> timolol	Solution (eye drops): 0.25%; 0.5% (as hydrogen maleate).	N	3

22. OXYTOCICS AND ANTIOXYTOCICS

22.1 Oxytocics

<input type="checkbox"/> Ergometrine	Injection: 200 micrograms (hydrogen maleate) in 1- mL ampoule.	E	3
Misoprostol	Tablet: 200 micrograms.	E	3
	Vaginal tablet: 25 micrograms.	E	3
Oxytocin	Injection: 10 IU in 1- mL.	E	3


22.2 Antioxytocics (tocolytics)

Magnesium Sulphate	IV Infusion: 1g in 500 mL.	E	3
--------------------	----------------------------	---	---

23. PERITONEAL DIALYSIS SOLUTION

23.11. Hemodialysis

Haemodialysis Machine with options and spare parts	PCS	V	3
Haemodialysis Patients' Chair with spare parts	PCS		3






المرقعات:

التاريخ:

الرقم:

Water Treatment Unit (Pre-treatment Component, Reverse Osmosis unit with Membrane, Distribution loop with Extraction Points) and Spare Parts (Medical Grade)	PCS	V	3
Haemodialysis Filter (Low Flux)	PCS	V	3
Haemodialysis Filter (High Flux)	PCS	V	3
Bloodline (A/V Set)	PCS	V	3
Dialysis Fistula/ Cannula Needle (Arterial)	PCS	V	3
Dialysis Fistula/ Cannula Needle (Venous)	PCS	V	3
Sodium Bicarbonate	Powder 600 – 1000 gm Cartridge	V	3
Acid Bicarbonate solution	Solution 4 – 10 liters (Canister)	V	3
Ultrapure Dialysate Filter (Dialysis Fluid Filter)	PCS	V	3
Dialysis machines disinfectant (liter – gm)	Canister	V	3
Water treatment Unit/ Feed Supply disinfectant (liter – gm)	PCS	V	3



34



المرفقات:


التاريخ:

الرقم:

Softener Regeneration Salt	Tablets (25 - 50 kg)	V	3
pH indicator test strips	PCS	V	3
Sodium Chloride 0.9%	ML-BAG	V	3
Double Lumen Catheter (different sizes, FR, Length)/ Temporary, Permanent.	SET	V	3
· Patient Data management systems (Hardware, software)	PCS	V	3
· Dialysis Patient Analysis/ Monitoring Devices	PCS	V	3
23.2 Continuous Renal Replacement Therapy (CRRT)/Acute Dialysis			
CRRT/ Haemofiltration /Multifiltrate machine with spare parts	PCS	V	3
CRRY SOLUTION (different concentrations)	5-10 liter	V	3
CRRT set (with Accessories)		V	3
Hemofilter	PCS	V	3
Plasma filter	PCS	V	3
Filtrate bag			3
23.3 Peritoneal Dialysis			



35



المرفقات:

التاريخ:

الرقم:

Peritoneal dialysis machine (Automatic Peritoneal Dialysis, APD).	PCS	V	3
Continuous Ambulatory Peritoneal Dialysis (CAPD) system/ machine.	PCS	V	3
Peritoneal dialysis consumables/ accessories.	PCS	V	3
Peritoneal dialysis solutions (Different concentration).	LITER	V	3
Patient Data management systems (Hardware, software)	PCS	V	3
Paediatric peritoneal dialysis systems and Accessories	PCS	V	3

24. MEDICINES FOR MENTAL AND BEHAVIOURAL DISORDERS

24.1 Medicines used in psychotic disorders

<input type="checkbox"/> chlorpromazine	Tablet: 50 mg; 100 mg (hydrochloride).	V	5
<input type="checkbox"/> haloperidol	Injection: 5 mg in 1- mL ampoule.	V	5
	Tablet: 5 mg; 1.5 mg; 10 mg.	V	5
Olanzapine	Tablet: 5 mg, 10 mg	V	5
<input type="checkbox"/> haloperidol decanoate	Injection: 50 mg & 100 mg.	E	5
risperidone	Solid oral dosage form: 2 mg; 3 mg, 4 mg	E	3
clozapine	Solid oral dosage form: 25 mg; 100 mg.	E	3

Handwritten signature and stamp of the Ministry of Public Health & Population.

الجمهورية اليمنية
وزارة الصحة العامة والسكان
الإدارة العامة للشؤون القانونية
مدير عام المكتب
التاريخ: ٢٠٢٥/١٢/١٥

المرفقات:

التاريخ:

الرقم:

24.2 Medicines used in mood disorders

24.2.1 Medicines used in depressive disorders

<input type="checkbox"/> amitriptyline	Tablet: 10 mg ,25 mg; 75mg. (hydrochloride).	E	5
Escitalopram	Tablet: 10 mg ,20 mg	E	5
Sertraline	Tablet:50 mg,100 mg	V	5
fluoxetine	Solid oral dosage form: 20 mg (as hydrochloride).	V	3

24.2.2 Medicines used in bipolar disorders

carbamazepine	Tablet (scored): 100 mg; CR tablet: 200 mg & 400 mg.	E	3
lithium carbonate	Solid oral dosage form: 300 mg. CR tablet: 400 mg.	E	3
valproic acid (sodium valproate)*	Tablet (enteric-coated): 200 mg; 500 mg (sodium valproate). Oral liquid: 250 mg/5ml.	V	5

*The valproic acid (sodium valproate) is Avoid use in pregnancy and in women and girls of child-bearing potential, unless alternative treatments are ineffective or not tolerated because of the high risk of birth defects and developmental disorders in children exposed to valproate in the womb.

24.3 Medicines for anxiety disorders

Alprazolam	Tab: 0.5 mg,1 mg	V	5
<input type="checkbox"/> diazepam	Tablet (scored): 2 mg; 5 mg.	V	5

24.4 Medicines used for obsessive compulsive disorders

clomipramine	Capsule: 10 mg; 25 mg (hydrochloride).	E	3
--------------	--	---	---

24.5 Medicines for disorders due to psychoactive substance use

nicotine replacement therapy (NRT)	Chewing gum: 2 mg; 4 mg (as polacrilex).	N	3
	Transdermal patch: 5 mg to 30 mg/16 hrs; 7 mg to 21 mg/24 hrs.	N	3
<input type="checkbox"/> methadone	Concentrate for oral liquid: 5 mg/ mL; 10 mg/ mL (hydrochloride). Oral liquid: 5 mg/5 mL; 10 mg/5 mL (hydrochloride).	V	3

25. MEDICINES ACTING ON THE RESPIRATORY TRACT

الجمهورية اليمنية
وزارة الصحة العامة والسكان
الإدارة العامة للشؤون القانونية
مدير عام مكتب
التاريخ: ٢٠٢٢/١١/٢٧

المرفقات:

التاريخ:

الرقم:


25.1 Antiasthmatic and medicines for chronic obstructive pulmonary disease

<input type="checkbox"/> Beclometasone	Inhalation (aerosol): 50 micrograms (dipropionate) per dose; 100 micrograms (dipropionate) per dose (as CFC free forms).	E	3
Mometasone + Formoterol	Aerosol, for oral inhalation: 50 mcg & 5 mcg per inhalation (13 g)	E	3
<input type="checkbox"/> budesonide + formoterol	Dry powder inhaler: 100 micrograms + 6 micrograms per dose; 200 micrograms + 6 micrograms per dose	V	3
epinephrine (adrenaline)	Injection: 1 mg (as hydrochloride or hydrogen tartrate) in 1- mL ampoule.	V	3
ipratropium bromide	Inhalation (aerosol): 20 micrograms/metered dose.	V	3
<input type="checkbox"/> salbutamol	Inhalation (aerosol): 100 micrograms (as sulfate) per dose.	V	3
	Injection: 50 micrograms (as sulfate)/ mL in 5- mL ampoule.	V	3
	Metered dose inhaler (aerosol): 100 micrograms (as sulfate) per dose.	V	3
	Respirator solution for use in nebulizers: 5 mg (as sulfate)/ mL.	V	3

26. SOLUTIONS CORRECTING WATER, ELECTROLYTE AND ACID-BASE DISTURBANCES

26.1 Oral

oral rehydration salts	Powder for dilution in 200 mL; 500 mL; 1 L. glucose: 75 mEq sodium: 75 mEq or mmol/L chloride: 65 mEq or mmol/L potassium: 20 mEq or mmol/L citrate: 10 mmol/L osmolarity: 245 mOsm/L glucose: 13.5 g/L sodium chloride: 2.6 g/L	V	2
------------------------	--	---	---



الجمهورية اليمنية
وزارة الصحة العامة والسكان
الإدارة العامة لمكتب الوزير
مستشار طبي
التاريخ: ٢٠٢٢/٠٤/٠٤

المرفقات:

التاريخ:

الرقم:

	potassium chloride: 1.5 g/L trisodium citrate dihydrate: 2.9 g/L.		
potassium chloride 26.2 Parenteral	Powder for solution.	E	3
glucose	Injectable solution: 5% (isotonic); 10% (hypertonic); 50% (hypertonic).	V	1
glucose with sodium chloride	Injectable solution: 4% glucose, 0.18% sodium chloride (equivalent to Na+ 30 mmol/L, Cl- 30 mmol/L).	V	1
	Injectable solution: 5% glucose, 0.9% sodium chloride (equivalent to Na+ 150 mmol/L and Cl- 150 mmol/L); 5% glucose, 0.45% sodium chloride (equivalent to Na+ 75 mmol/L and Cl- 75 mmol/L).	V	1
potassium chloride	Solution: 11.2% in 20- mL ampoule (equivalent to K+ 1.5 mmol/ mL, Cl- 1.5 mmol/ mL).	V	7
	Solution for dilution: 7.5% (equivalent to K 1 mmol/ mL and Cl 1 mmol/ mL); 15% (equivalent to K 2 mmol/ mL and Cl 2 mmol/ mL).		
sodium chloride	Injectable solution: 0.9% isotonic (equivalent to Na+ 154 mmol/L, Cl- 154 mmol/L).	V	1
sodium hydrogen carbonate	Injectable solution: 1.4% isotonic (equivalent to Na+ 167 mmol/L, HCO ₃ ⁻ 167 mmol/L).	E	3
	Solution: 8.4% in 10- mL ampoule (equivalent to Na+ 1000 mmol/L, HCO ₃ ⁻ 1000 mmol/L).	E	3
o Ringer lactate solution	Injectable solution.	V	1
26.3 Miscellaneous			
water for injection	2- mL; 5- mL; 10- mL ampoules.	V	1
27. VITAMINS AND MINERALS			
ascorbic acid	Tablet: 50 mg.		
calcium	Tablet: 500 mg (elemental).		
colecalfiferol	Oral liquid: 400 IU/ mL.		

المرفقات:

التاريخ:

الرقم:

<input type="checkbox"/> ergocalciferol	Solid oral dosage form: 400 IU; 1000 IU.	N	1
	Oral liquid: 250 micrograms/ mL (10 000 IU/ mL).	N	1
iodine	Solid oral dosage form: 1.25 mg (50 000 IU).	N	1
	Capsule: 200 mg.	N	1
	Iodized oil: 1 mL (480 mg iodine); 0.5 mL (240 mg iodine) in ampoule (oral or injectable); 0.57 mL (308 mg iodine) in dispenser bottle.	N	1
<input type="checkbox"/> nicotinamide	Tablet: 50 mg.	N	1
pyridoxine	Tablet: 25 mg (hydrochloride).	N	1
retinol	Capsule: 50 000 IU; 100 000 IU; 200 000 IU (as palmitate).	N	1
	Oral oily solution: 100 000 IU (as palmitate)/ mL in multidose dispenser.	N	1
	Tablet (sugar-coated): 10 000 IU (as palmitate).	N	1
	Water-miscible injection: 100 000 IU (as palmitate) in 2- mL ampoule.	N	1
riboflavin	Tablet: 5 mg.	N	1
sodium fluoride	In any appropriate topical formulation.	N	1
thiamine	Tablet: 50 mg (hydrochloride).	N	1

28. EAR, NOSE AND THROAT MEDICINES

acetic acid	Topical: 2%, in alcohol.	E	3
ofloxacin	Solution (ear drops): 0.3% (5 mL) [contains benzalkonium chloride]	E	3
<input type="checkbox"/> budesonide	Nasal spray: 100 micrograms per dose.	E	3
<input type="checkbox"/> ciprofloxacin	Topical: 0.3% drops (as hydrochloride).	E	3
<input type="checkbox"/> xylometazoline	Nasal spray: 0.05%.	V	1

29. SPECIFIC MEDICINES FOR NEONATAL CARE

29.1 Medicines administered to the neonate

caffeine citrate	Injection: 20 mg/ mL (equivalent to 10 mg caffeine base/ mL).	3
	Oral liquid: 20 mg/ mL (equivalent to 10 mg caffeine base/ mL).	3

الجمهورية اليمنية
وزارة الصحة العامة والسكان
الإدارة العامة لشؤون الوزارة
صورة قلم الأصيل
مدير عام المكتب
التاريخ: 17/1/2017

المرفقات:

التاريخ:

الرقم:

chlorhexidine	Solution or gel: 7.1% (digluconate) delivering 4% chlorhexidine (for umbilical cord care).	N	3
<input type="checkbox"/> ibuprofen	Solution for injection: 5 mg/ mL.	E	3
<input type="checkbox"/> prostaglandin E	Solution for injection:	V	3
	Prostaglandin E1: 0.5 mg/ mL in alcohol.	V	3
	Prostaglandin E 2: 1 mg/ mL.	V	3
surfactant	Suspension for intratracheal instillation: 25 mg/ mL or 80 mg/ mL.	E	3

29.2 Medicines administered to the mother

dexamethasone	Injection: 4 mg/ mL dexamethasone phosphate (as disodium salt).	E	3
---------------	---	---	---

30. MEDICINES FOR DISEASES OF JOINTS

30.1 Medicines used to treat gout

allopurinol	Tablet: 100 mg.	E	3
-------------	-----------------	---	---

30.2 Disease-modifying agents used in rheumatoid disorders (DMARDs)

hydroxychloroquine	Solid oral dosage form: 200 mg (as sulfate).	V	4
methotrexate	Tablet: 2.5 mg (as sodium salt).	V	4
Sulfasalazine	Tablet: 500 mg.	V	4

Levels of Health Facilities

Facility Type	Health Unit	Health Center	District Hospital	Inter-District Hospital	General Hospital	Governorate Hospital	Referral Hospital
Facility Level	١	٢	٣	٤	٥	٦	٧

مادة (٢): يلغى أي قرار سابق يتعارض مع هذا القرار.

مادة (٣) جديدياً بهذا القرار من تاريخ صدوره ويبلغ من يلزم بتنفيذه.

صدر بديوان عام الوزارة الموافق ٢٥/٧/٢٠٢٣م

بتاريخ ٧/٧/٢٠٢٣م

وزير الصحة العامة والسكان
م. طه المصباحي
م. طه المصباحي
م. طه المصباحي
م. طه المصباحي

مادة (٣) جديدياً بهذا القرار من تاريخ صدوره ويبلغ من يلزم بتنفيذه.
وزارة الصحة العامة والسكان
الإدارة العامة لمكتب الوزير
صحة
المختص
التاريخ